

25X1A

May 20, 1959

RESEARCH FISCAL OFFICE

STATINTL

Attention of Geo. K.

Re: TM-500; Transfer of Property Accountability

Gentlemen:

Property generated under the Agreement poses certain problems that must be ironed out for the mutual benefit of the several parties involved. I had occasion recently to mention this to Joe P., and I am sure he is fairly familiar with this problem.

The property in question consists of the following:

- (a) Certain items procured while the Project was in being have been transferred physically to [REDACTED] STATINTL  
[REDACTED] Some of these items have in fact been incorporated into other units, and, therefore lost their physical identity. Please refer to Ex. 1, attached; items marked [REDACTED] STATINTL
- (b) Other items of equipment procured under the Agreement were physically taken into the custody [REDACTED] when the task force moved over to [REDACTED] to carry on the program. Please refer to Ex. 1, attached; items marked [REDACTED] STATINTL
- (c) Four items procured under the Agreement and presently located at our [REDACTED] STATINTL  
Your program has no further need for this property and we suggest accountability be transferred to [REDACTED] Please refer to Exhibit 1, attached; items identified as "Note 4".

CONTAINS SENSITIVE  
COMPARTMENTED INFORMATION

RESEARCH FISCAL OFFICE

-2-

May 20, 1959

25X1A

- (d) Equipment procured by our [REDACTED] tory for use in connection with Contract No. AF19(122)-458 was later used for the task and sent to the Site, to expedite the program. The use of this equipment was approved by the Air Force Resident Contracting Officer. Please refer to Ex. 2, attached.

Our property records were audited by your representative and I feel quite sure that all material was satisfactorily accounted for insofar as record purposes are concerned. Listings of the property at that time were given to the auditor with the understanding that any physical verification would be accomplished by your representatives at [REDACTED] or [REDACTED] L

We suggest the following action be taken by your office:

1. Relieve [REDACTED] for accountability of property referred to in (a) and (b).
2. Approve transfer of accountability for property (c) to Account AFH #2835 as GFP under Air Force cognizance.
3. Acknowledge acceptance of responsibility for Air Force property (d) furnished to your program and advise us of the cognizant Property Officer and Account Number so that the transfer can be made.

We hope that these transactions may be accomplished without too much delay in order to close out the release required by the Agreement.

Sincerely,

[REDACTED]  
Manager

TJC/S

Encls. Ex. 1 (trip)  
Ex. 2 (trip)


Approved For Release 2001/07/28 : CIA-RDP64B00187A000700150062-9

ACQUIRED FOR ACCOUNT 9214 AS OF  
27 JANUARY 1959

SCHEDULE 2

Property Delivered to [REDACTED]

STATINTL



| Property Number | Description             | Vendor            | Purchase Order No. | Date of Purchase | Cost       |
|-----------------|-------------------------|-------------------|--------------------|------------------|------------|
| 9214-1          | Bridge, Hy Alford 1133  | Alford Mfg. Co.   | L106556            | 10-16-56         | \$ 460.00  |
| 9214-5          | IF Amplifier 1216A      | General Radio Co. | L114922            | 1-12-57          | 335.00 *   |
| 9214-13         | Oscillator GR1209B      | General Radio Co. | A-5004             | 1-16-57          | 235.00     |
| 9214-20         | Power Supply C481M      | Lambda Elec. Co.  | L10700             | 8-2-57           | 274.00     |
| 9214-21         | Signal Generator        | Hewlett-Packard   | A5012              | 1-10-58          | 1950.00 ** |
| 9214-22         | Amplifier TWT491        | Hewlett-Packard   | A5012              | 1-10-58          | 1100.00 ** |
| 9214-23         | Power Meter             | Hewlett-Packard   | A5012              | 1-6-58           | 250.00 **  |
| 9214-24         | Power Supply, Regulated | Hewlett-Packard   | A5012              | 1-10-58          | 350.00 **  |
| 9214-25         | Power Supply, Regulated | Hewlett-Packard   | A5012              | 1-10-58          | 350.00 **  |
| 9214-27         | High Power Termination  | Hewlett-Packard   | A5012              | 12-30-57         | 160.00     |
| 9214-35         | Transmitter             | RCA               | A5002              | 6-18-57          | 34586.00   |

\* NOTE

This is an amplifier which was acquired for research purposes and the best recollection of the people who used the item is that it was incorporated in other equipment [REDACTED] The amplifier was not on hand at termination of TM 500 and has not been located in subsequent physical inventories.

\*\* These items were recorded out West as Property Numbers 2-18342, 2-24472, 2-24957, E. G. & G #9729, and E. G. & G #9741 but are the same equipment.

Approved For Release 2001/07/28 : CIA-RDP64B00187A000700150062-9

file  
EG & G  
TAP  
7-11-59  
191

| <u>Property<br/>Number</u> | <u>Description</u>      | <u>Vendor</u>       | <u>Order No.</u> | <u>Purchase</u> | <u>Cost</u> |
|----------------------------|-------------------------|---------------------|------------------|-----------------|-------------|
| 9214-38                    | Amplifier, Pulse 1219A  | General Radio       | L33124           | 5-14-58         | 200.00      |
| 2-50299                    | Power Supply            | Lambda Elec. Co.    | A5013            | 11-18-57        | 199.00      |
| 2-50300                    | Power Supply            | Lambda Elec. Co.    | A5013            | 11-18-57        | 199.00      |
| 2-50302                    | Power Supply            | Lambda Elec. Co.    | A5013            | 11-18-57        | 199.00      |
| 2-50303                    | Power Supply C280M      | Lambda Elec. Co.    | A5013            | 11-18-57        | 214.00      |
| 2-50304                    | Power Supply            | Lambda Elec. Co.    | A5013            | 11-18-57        | 214.00      |
| 2-50307                    | Power Supply, Regulated | John Fluke Eng. Co. | L13843           | 11-29-57        | 260.00      |
| 2-50308                    | Power Supply, Regulated | John Fluke Eng. Co. | L13843           | 11-29-57        | 260.00      |